

Ref:MoEF/EC/JNPT/181121

Date: 18th November, 2021

To,
Scientist 'B',
Ministry of Environment, Forest & Climate Change,
Regional Office (WCZ),
Ground Floor, East Wing,
New Secretariate Building, Civil Lines,
Nagpur – 440 001.

Sub: Six monthly Compliance report (for the period April 2021 to September 2021) for Environment Clearance (EC) No. 10-26/2007-IA-III dated 27/08/2007 for storage of Liquid Ammonia at JNPT.

Dear Sir,

With reference to the subject matter, please find attached herewith the six monthly EC compliance report (for the period April 2021 to September 2021) for EC No. 10-26/2007-IA-III dated 27/08/2007 issued to our unit located at JNPT for storage & handling of imported Ammonia.

Kindly note that EC has been transferred from M/S Deepak Fertilisers and Petrochemicals Corporation Limited to M/S Smartchem Technologies Limited vide MoEF & CC letter dated 25th January 2021.

Kindly acnknowledge the same.

Yours faithfully,

For, SMARTCHEM TECHNOLOGIES LIMITED,

Dinesh Pratap Singh,

Executive Vice President.

CC: Regional Officer, MPCB, CBD-Belapur, Navi Mumbai

List of Attachments

Sr. No.	Attachments	Number of pages
1	Six Monthly EC Compliance Report	3
2	Copy of EC (in DFPCL name) dated 27.08.2007.	4
3	Copy of letter from MoEF & CC for EC transfer from M/S Deepak Fertilisers and Petrochemicals Corporation Limited to M/S Smartchem Technologies Limited dated 25 th January 2021.	2
	Laboratory Reports (M/S GADARK Lab.)	
4	Annexure-1- Ambient Air Analysis (09-04-2021 and 08-07-2021)	2
5	Annexure-2 – Soil and Groundwater analysis reports (09-04-2021 and 08-07-2021).	6
6	Annexure 3 – MPCB Consent to operate in DFPCL name dated 26.06.2020 valid up to 30.06.2025.	9
7	Annexure 4 – MPCB Consent to Operate dated 15-07-2021 – for name change in STL name.	2

Compliance Status to Environment Clearance No. 10-26/2007-IA-III dated 27/08/2007 for storage of Liquid Ammonia at JNPT (for the period April 2021 to September 2021):-

EC has been transferred from M/S Deepak Fertilisers and Petrochemicals Corporation Limited to M/S Smartchem Technologies Limited vide MoEF & CC letter dated 25th January 2021.

Date:- 17/11/2021

SPECIFIC CONDITIONS:

Sr. No.	Type of Compliance	Status: Complied / Not complied / Not Applicable
1	The project proponent should implement all the measures that have been suggested by them in the clarification letter dated 24 th May, 2007 provided to the Ministry of Environment and Forests. (MoEF)	All the measures are complied.
2	Damage distance for thermal radiation, over pressure and toxic dispersion should be considered while transporting the products.	Maximum Credible Loss Scenario (MCLS) Study is carried out in September – 2016.
3	Precautions against damage to the vapour cloud explosion should be adopted. Precautions may be taken to avoid release of vapour to the atmosphere. Leakage of ammonia during transfer should be prevented.	Ongoing, measures are in place.
4	The recommendations given by the Cell for Industrial Safety and Risk Analysis of CLRI should be strictly followed.	Not relevant, but recommendations arising out of EIA, RRA by Projects & Development India Ltd (PDIL), Dhanbad and Uhde (I) Ltd are complied.
5	Monitoring of Ambient Air Quality (AAQ) (8 hourly presently) should be done in accordance with CPCB guidelines.	Complied & reports are attached. (Annexure 1)
6	Monitoring of ground water & soil quality near the storage areas should be carried out six monthly.	Complied & reports are attached. (Ground water & Soil quality report as Annexure 2)
7	Flow meters at inlet & final outlet of Oil Water Seperators (2 Nos) should be installed.	Not applicable
8	Sensors for detecting ammonia leakage should be installed at strategic locations.	Complied – 8 Nos of Detectors are installed in the field with alarms in DCS.
9	The MSIHC Rules should be effectively implemented and revised HAZOP Report should be submitted within six months from the date of receipt of this lettter. The damage distance should also be reassessed.	Complied & HAZOP compliance report details are sent on 22/02/2013.
10	All the conditions stipulated by the Maharashtra Pollution Control Board vide Consent No. BO/RONM/EIC-0448-06/E/CC-303 dated 02/08/2006 should be strictly implemented.	Complied Consent to Operate No. Format1.0 / CAC / UAN No.0000091906 / CR-2006001159 dated 26/06/2020 validity upto 30/06/2025. (Annexure 3). Consent amended dated 15-07-2021 and name changed to Smartchem Technologies Limited – (Annexure 4)

Sr. No.	Type of Compliance	Status: Complied / Not complied / Not Applicable
11	Leak detection / warning system for each of the chemicals to be handled should be provided at the jetty as well as at other strategic locations. Necessary control measures capable of remote operation to shut down the leakage, if any, should be provided.	1. Complied – Motor operated valves are provided which are interlocked with pressure & leak detectors. 2. Continuous Flare system is provided.
12	Appropriate safety devices such as masks should be provided for use by the workers handling the chemicals at the site and their usage by them should be ensured.	Appropriate PPEs are provided and its usage is strictly ensured.
13	No chemicals other than those specified in the Annexure-III of the CRZ Notification, 1991 as amended subsequently shall be stored in the CRZ area.	Noted and only specified chemicals are stored.
14	Regular monitoring of the levels of ammonia in the air by environment shall be monitored and records maintained. The periodic report (six monthly) to be submitted to the Regional Office of this Ministry at Bhopal should also contain information about the ammonia level so monitored.	Complied & reports are attached. (Annexure 1)
15	All approvals from Central and State nodal agencies including OISD, Chief Controller of Explosives, Chief Inspectorate of Factories must be obtained. A Comprehensive Contingency Plan / Disaster Management Plan must be prepared in collaboration with the concerned authorities and a copy submitted to this Ministry before commissioning of the project.	On-site Emergency plan is prepared and Mockdrills are conducted regularly.
16	No mangroves or ecological sensitive areas should be damaged while undertaking the above project.	Noted.

GENERAL CONDITIONS:-

Sr. No.	Type of Compliance	Status: Complied / Not complied / Not Applicable
1	A seperate Environmental Management Cell with suitably qualified staff to carry out various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company.	Seperate EHS Department is set up.
2	The project will be monitored by this Ministry's Regional office at Bhopal. Full support should be extended to the officers of this Ministry's Regioanl Office at Bhopal and the officers of the Central and State Pollution Control Boards by the project proponents during the inspection for monitoring purposes by furnishing full details and action plans including the action taken reports in respect of mitigative measures and other environmental protection activities.	Noted.
3	In case of deviation or alteration in the project including the	Noted.

Sr. No.	Type of Compliance	Status: Complied / Not complied / Not Applicable
	implementing agencies, a fresh reference should be made to this Ministry for modification in the clearance conditions or impositions of new ones for ensuring environmental protection. The project proponents shall be responsible for implementing the suggested safeguard measures.	

Sr. No.	Type of Compliance	Status: Complied / Not complied / Not Applicable
4	This Ministry reserves the right to revoke this clearance, if any of the conditions stipulated are not complied with to the satisfaction of this Ministry.	Noted.
5	This Ministry or any other competent authority may stipulate any other additional conditions subsequently, if deemed necessary, for environmental protection, which shall be complied with.	Noted.
6	A copy of the clearance letter shall be marked to the concerned Panchayat / local NGO, if any, from whom any suggestion / representation has been received while processing the proposal.	Copy of Clearance Letter is uploaded on Website.
7	State Pollution Control Board / Committee should display a copy of the clearance letter at the Regional Office, District Industries Center and Collector's Office / Tehsildar's Office for 30 days.	Noted.
8	The project proponent should advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the vernacular language of the locality concerned informing that the project has been accorded environmental clearance and copies of clearance letters are available with the the Maharashtra Pollution Control Board and may also be seen at Website of the Ministry of Environment and Forests at http://www.envfor.nic.in The advertisement should be made within 7 days from the date of issue of the clearance letter and a copy of the same should be forwarded to the Regional Office of this Ministry at Bhopal.	Complied & details are sent on 26/02/2013.
9	The project proponents should inform the Bhopal Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of Land Development Work.	-
10	Seperate clearance shall be obtained by individual project proponents for handling and storage of these chemicals.	Noted.

No.10-26/2007-IA-III
Government of India
Ministry of Environment and Forests
(IA-III Division)

Paryavaran Bhavan, CGO Complex, Lodhi Road, New Delhi - 110003.

Dated the 27th August, 2007

Sub: Environmental clearance for storage and handling of imported ammonia at JNPT, Nava Sheva by M/s Deepak Fertilizers and Petrochemicals Corporation Limited (DFPCL) - regarding.

Reference is invited to the letter No.MCZMA2006/166, dated 31.7.2007 from Environment Department, Government of Maharashtra and letters No.Nil, dated 3th April, 2007, dated 5th April, 2007 and dated 24th May, 2007 from M/s Deepak Fertilizes and Petrochemicals Corporation Limited regarding the subject mentioned above. No Objection Certificate from Maharashtra Pollution Control Board vide Consent No.BO/RONM/EIC-0448-06/E/CC-303, dated 2.8 2006 has been obtained.

- The project involves putting up storage and handling facility (15000 MT) for liquid Ammonia at INPT Terminal. M/s DFPCL proposes to utilize liquid ammonia for manufacture of ammonia based fertilizers/fertilizers intermediates such as nitric acid, ammonium nitrate, urea and NPK Complex etc. The liquid ammonia will be pumped to storage tank through 16"/18" insulated pipeline from jetty to tank farm. The approximately length of the pipe is 4.2 km. Marine unloading arm of 8"/10" size is foreseen with hydraulic operation. The main facilities for import, storage and despatch are as follows:-
 - (i) Marine unloading arm at the jetty
 - (ii) Pipeline for transfer through pipe rack
 - (iii) Cooling line
 - (iv) Atmospheric Ammonia storage tank
 - (v) Refrigeration compressors
 - (vi) Boil off compressors
 - (vii) Ammonia transfer pumps
 - (viii) Tank lorry loading bay
- 3. Land area required for the project is 150 m X 100 m (including old facilities). The main raw material, liquid anunonia will be received at the liquid cargo jetty in ships through import. The sources of Ammonia are to be identified. Power for operating the facilities will be received from State electric guid through the electric sub-station. HSD for operating the DG set will be received at the site from indigenous sources in tank lorries and stored in an underground tank. Water for the project will be supplied by MIDC. Liquid ammonia is brought ships having a capacity of 9000-14000 MT, once or twice in a month, which will be unloaded by coupling of ship pump manifold to the unloading arm located on the jetty. The unloading rate of liquid ammonia from ship vis-à-vis feeding rate to the storage tank will be about 400 to 700 MT/hr.
- The proposal was considered by Expert Appraisal Committee at its meeting held on 19th 21th April, 2007 and has recommended.
- 5. The proposal has been examined and the environmental clearance to this project is hereby accorded under Coastal Regulation Zone Notification, 1991 (amendment to Coastal Regulation Zone Notification, 1991 vide S.O. 451(E), dated 26.3.2007) and Environment Impact Assessment Notification, 1994/2006 subject to effective implementation of the following environmental safeguards and conditions:

(A) Specific Conditions:

- The project proponent should implement all the measures that have been suggested by them in the clarification letter dated 24th May, 2007 provided to the Ministry of Environment and Forests.
- Damage distance for thermal radiation, over pressure and toxic dispersion should be considered while transporting the products.
- 3 Precautions against damage to the vapour cloud explosion should be adopted. Precautions may be taken to avoid release of vapour to the atmosphere. Leakage of ammonia during transfer should be prevented.
- 4. The recommendations given by the Cell for Industrial Safety and Risk Analysis of CLRI should be strictly followed.
- 5 Monitoring of Ambient Air Quality (AAQ) (8 hourly presently) should be done in accordance with CPCB guidelines.
- 6.) Monitoring of ground water & soil quality near the storage areas should be carried out six monthly.
- 7. Flow meters at inlet & final out let of Oil Water Separator (2 nos.) should be installed.
- 8. Sensors for detecting ammonia leakage should be installed at strategic locations.
- The MSIHC Rules should be effectively implemented and revised HAZOP Report should be submitted
 within 6 months from the date of receipt of this letter. The damage distance should also be reassessed.
- All the conditions stipulated by the Maharashtra Pollution Control Board vide Consent No.BO/RONM/EIC-0448-06/E/CC-303, dated 2.8.2006 should be strictly implemented
- 11. Leak detection/warning system for each of the chemicals to be handled should be provided at the jetty as well as at other strategic locations. Necessary control measures capable of remote operation to shut down the leakage, if any, should be provided.
- 12. Appropriate safety devices such as masks should be provided for use by the workers handling the chemicals at the site and their usage by them should be ensured.
- No chemicals other than those specified in the Annexure-III of the CRZ Notification, 1991 as amended subsequently shall be stored in the CRZ area.
- 14. Regular monitoring of levels-of ammonia in the air environment shall be monitored and records maintained. The periodic report (six monthly) to be submitted to the Regional Office of this Ministry at Bhopal should also contain information about the ammonia level so monitored.
- 15 All approvals from Central and State nodal agencies including OISD, Chief Controller of Explosives. Chief Inspectorate of Factories must be obtained. A Comprehensive Contingency Plan/Disaster Management Plan must be prepared in collaboration with the concerned authorities and a copy submitted to this Ministry before commissioning of the project.
- 16. No mangroves or ecological sensitive areas should be damaged while undertaking the above project

(B) General Conditions:

A separate Environmental Management Cell with suitably qualified staff to carry put various environment related functions should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company

- ii. The project will be monitored by this Ministry's Regional Office at Bhopal Full support should be extended to the officers of this Ministry's Regional Office at Bhopal and the officers of the Central and State Pollution Control Boards by the project proponents during the inspection for monitoring purposes by furnishing full details and action plans including the action taken reports in respect of mitigative measures and other environmental protection activities.
- iii In case of deviation or alteration in the project including the implementing agencies, a fresh reference should be made to this Ministry for modification in the clearance conditions or imposition of new ones for ensuring environmental protection. The project proponents shall be responsible for implementing the suggested safeguard measures.
- iv. This Ministry reserves the right to revoke this clearance, if any of the conditions stipulated are not complied with to the satisfaction of this Ministry.
- v. This Ministry or any other competent authority may stipulate any other additional conditions subsequently, if deemed necessary, for environmental protection, which shall be complied with
- vi. A copy of the clearance letter shall be marked to the concerned Panchayat/local NGO, if any, from whom any suggestion/representation has been received while processing the proposal.
- vii State Pollution Control Board/Committee should display a copy of the clearance letter at the Regional Office, District Industries Center and Collector's Office/Tehsildar's Office for 30 days.
- viii. The project proponent should advertise atleast in two local newspapers widely circulated in the region around the project, one of which shall be in the vernacular language of the locality concerned informing that the project has been accorded environmental clearance and copies of clearance letters are available with the Maharashtra Pollution Control Board and may also be seen at Website of the Ministry of Environment & Forests at http://www.cnvfor.nic.in. The advertisement should be made within 7 days from the date of issue of the clearance letter and a copy of the same should be forwarded to the Regional Office of this Ministry at Bhopal.
- ix. The project proponents should inform the Bhopal Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of Land Development Work.
- Separate clearance shall be obtained by individual project proponents for handling and storage of these chemicals.
- G. The above mentioned stipulations will be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Chemicals (Manufacture, Storage and Import) Rules, 1989, the Coastal Regulation Zone Notification, 1991 as amended subsequently and the Public Liability Insurance Act, 1991 and the Rules made thereunder from time to time. The project proponents should also ensure that the proposal complies with the provisions of the approved Coastal Zone Management Plan of Gujarat State and the Supreme Court's order dated 18th April, 1996 in the Writ petition No.664 of 1993 to the extent the same are applicable to this proposal

(Dr. A. Senthil Vel) Additional Director

To

Ms. Sharwaree Gokhale, Chairman, Maharashtra State Coastal Zonc Management Authority, & Principal Secretary, Environment Department, Mantralava, Mumbai-400032

Copy to:

1. The Secretary, Ministry of Oil & Natural Gas, Shastri Bhavan, New Delhi-1

2. General Manger - Coordination Limited, M/s Deepak Fertilizers and Petrochemicals Corporation Limited, S-1, First Floor, Panchshila Park, New Delhi - 110017.

3. The Member Secretary, Maharashtra State Coastal Zone Management Authority & Deputy Secretary, Mantralaya, New Administrative Building, 15th Ploor, Madam Cama Marg, Mumbai - 400032.

4. The Chairman, Central Pollution Control Board, Pariyesh Bhavan, CBD-cum-Office Complex, East

5. Member Secretary, Maharashtra Pollution Control Board, Kalpataru Point, 3rd and 4th Floors, Opp. Cine Planet, Sion Circle, Mumbai-400 022.

6. The Chief Conservator of Forests, Regional Office (WZ), Kendriya Paryavaran Bhavan, Link Road No.3, Ravi Shankar Nagar, Bhopal - 462016.

7. Chief Controller of Explosives, Department of Explosives, Nagpur.

8. Director (FI), Ministry of Environment & Forests, New Delhi.

9. Guard File.

10. Monitoring Cell

11. Regional Office (HQ), Ministry of Environment & Forests.

(Dr. A. Senthil Vel) Additional Director

F. No. 10-26/2007-IA.III

Government of India
Ministry of Environment, Forest and Climate Change
(IA-III Section)

Indira Paryavaran Bhawan Jor Bagh Road, Aliganj, New Delhi – 110003 E-mail: ad.raju@nic.in Tel: 011-24695296

Dated: 25th January, 2021

To

Sh. Deepak Shashikant Pande

Head - EHS

M/s Deepak Fertilisers And Petrochemicals Corporation Limited Plot No. K-1 to K-5, Taloja MIDC, Dist. Raigad- 410208

Subject: Environmental & CRZ Clearance obtained for the Storage and Handling of Imported Ammonia at JNPT, Nava Sheva by Deepak Fertilisers and Petrochemicals Corporation Limited" - Transfer of Environmental Clearance regarding.

Sir.

This has reference to your letter No. 'Nil', dated 6th June, 2020 regarding the transfer of Environment Clearance (EC) from M/s Deepak Fertilisers and Petrochemicals Corporation Limited (DFPCL) to M/s Smartchem Technologies Limited for the project mentioned above.

- 2.0 It has been noted that the project mentioned above was accorded environmental clearance by the Ministry *vide* letter of even number dated 27th August, 2007. Ministry has examined your application regarding transfer of EC and noted that M/s Deepak Fertilisers and Petrochemicals Corporation Limited has transferred the "handling of imported ammonia at JNPT" dated 13th November 2019.
- 3.0 No Objection Certificate/Affidavit from M/s Deepak Fertilisers and Petrochemicals Corporation Limited in a non-judicial stamp paper for transfer of environmental and CRZ clearance letter dated 27th August, 2007 to M/s Smartchem Technologies Limited has been received. In addition, the undertaking mentioning that M/s Smartchem Technologies Limited shall comply with all the conditions mentioned in the Environment Clearance has been received.
- 4.0 In view of the above, it has been decided by the Ministry to transfer the Environment and CRZ Clearance accorded to M/s Deepak Fertilisers and Petrochemicals Corporation Limited *vide* letter of even number dated 27th August, 2007 in the name of M/s Smartchem Technologies Limited.
- 5.0 You are requested to obtain 'Consent to Establish' and 'Consent to Operate' from the State Pollution Control Board concerned in the name of M/s Smartchem Technologies Limited.

4

- 6.0 M/s Smartchem Technologies Limited shall comply with all the specific and general conditions stipulated in the environmental and CRZ clearance of even no. dated 27th August, 2007. All other conditions stipulated in the environmental and CRZ clearance letter shall remain the same.
- 7.0 In case, there is a change in the scope of the project, fresh environmental and CRZ clearance shall be obtained.

This issues with the approval of the Competent Authority.

(Amardeep Raju) Scientist-E

Copy to:

- The Principal Secretary, Department of Forests & Environment and Chairman, MCZMA, Govt. of Maharashtra, Annexe Building, Mantralaya, Mumbai- 32.
- ii. The Chairman, Central Pollution Control Board, Parivesh Bhawan, CBD-cum-Office Complex, East Arjun Nagar, Delhi 32
- iii. The Member Secretary, Maharashtra Pollution Control Board, Kalpataru Points, 3rd & 4th Floor, Opp. Cine Planet, Sion Circle, Sion €, Mumbai-400 022, Maharashtra.
- iv. The APCCF (C), MoEF& CC, Regional Office (WCZ), Ground Floor, East Wing, New Secritariat Building, Civil Lines, Nagpur-440 001, Maharashtra.
- v. Monitoring Cell, MoEF&CC, Indira Paryavaran Bhavan, New Delhi.
- vi. Guard File/Record File
- vii. Notice Board.

(Amardeep Raju) Scientist-E



INDUSTRIAL ANALYSTS & CONSULTANTS

LAB.: H-54, Additional M.I.D.C. Kudal, Taluka - Kudal, District - Sindhudurg - 416 525. Tel.: (02362) 223519 • E-mail: info@gadark.in • Website: www.gadark.in

OFF.: 15, Hindustan Kohinoor Industrial Complex, L.B.S. Marg, Vikhroli (West), Mumbai - 83. Tel.: (022) 2577 7069 / 2577 7070 / 2085 0091 • +91 93213 12367

TEST CERTIFICATE

Doc.No: GLPL/QF/7.8/03

Test Certificate No.	GA/ST/0423/21 T		T. C. Date	16/04/2021	
Customer Name and Address	M/s. SMARTCHEM TECHNOLOGIES LIMITED PLOT NO. 1, JNPT, NHAVA SHEVA, TAL., URAN, DIST RAIGAD				
Letter Ref / Date .	Page No. 1 of				
Sampling Done By GLPL Sample Receive		Sample Received on	10/04/2021		
Sampling Plan	GLPL/QF/7.3/06	Analysis Period	12/04/2021 To 16/04/202		

SAMPLING DETAILS - AMBIENT AIR MONITORING :-

Sampling Location	Near Control Room			
Date of Sampling	09/04/2021			
Time of Sampling [Hrs]	14:20			
Duration of Sampling [Hrs]	24			
Ambient Temperature [°C]	Min.	22	Max.	35
Relative Humidity [%]	Min.	40	Max.	68

ANALYSIS REPORT :-

Parameters	Unit	Results	*N.A.A.Q.S.	Sampling & Analysis Methods
PM ₁₀	μg/m³	62.19	100.0	NAAQMS/36/2012-2013 Volume 1
PM _{2.5}	µg/m³	33.73	60.0	NAAQMS/36/2012-2013 Volume 1
SO ₂	μg/m³	30.98	80.0	IS 5182 (Part II) 2012
NO ₂	μg/m³	34.83	80.0	IS 5182 (Part VI) 2012
СО	mg/m³	1.25	2.0 for 8 Hrs.	IS 5182 (Part X) 1999
Lead	µg/m³	0.13	1.0	NAAQMS/36/2012-2013 Volume 1
Ozone	µg/m³	3.18	100.0 for 8 Hrs.	APHA Method 411 3rd Edition
Ammonia	μg/m³	4.17	400.0	APHA Method 401 3rd Edition
Benzene	µg/m³	< 1.0	5.0	IS 5182 (Part 11) 2006
Benzo Pyrene	ng/m³	< 0.1	1.0	IS 5182 (Part 12):2004
Arsenic	ng/m³	< 0.4	6.0	NAAQMS/36/2012-2013 Volume 1
Nickel	ng/m³	2.56	20.0	NAAQMS/36/2012-2013 Volume 1

*N.A.A.Q.S. - National Ambient Air Quality Standards

ACTIVITY Ford	
 Ena	

For GADARK LAB PVT. LTD.

Eletter

AUTHORISED SIGNATORY [KAILAS V. CHITALKAR]

Note:

- 1. The results relate only to the samples tested.
- 2. Test certificate shall not be reproduced except in full, without written approval of the laboratory.
- 3. Samples will be preserved for a period 15 days from the delivery of Test Certificate.
- Test Results relate only to the conditions prevailing at the time of sampling.
 Customer complaint register is available at laboratory.

CHECKED BY





LAB.: H-54, Additional M.I.D.C. Kudal, Taluka - Kudal, District - Sindhudurg - 416 525. Tel.: (02362) 223519 • E-mail: info@gadark.in • Website: www.gadark.in

OFF.: 15, Hindustan Kohinoor Industrial Complex, L.B.S. Marg, Vikhroli (West), Mumbai - 83. Tel.: (022) 2577 7069 / 2577 7070 / 2085 0091 • +91 93213 12367

TEST CERTIFICATE

Doc.No: GLPL/QF/7.8/03

Test Certificate No.	GA/21/07/70 T.		T. C. Date	14/07/2021	
Customer Name and Address	M/s. SMARTCHEM TECHNOLOGIES LIMITED PLOT NO. 1, JNPT, NHAVA SHEVA, TAL., URAN, DIST RAIGAD				
Letter Ref / Date .	Page No.			1 of 1	
Sampling Done By	GLPL	Sample Received on	09/07/2021		
Sampling Plan	GLPL/QF/7.3/06	Analysis Period	10/07/202	1 To 14/07/2021	

SAMPLING DETAILS - AMBIENT AIR MONITORING :-

Sampling Location	Near Control Room			
Date of Sampling	08/07/2021			
Time of Sampling [Hrs]	10:20			
Duration of Sampling [Hrs]	24			
Ambient Temperature [°C]	Min.	21	Max.	30
Relative Humidity [%]	Min.	37	Max.	69

ANALYSIS REPORT :-

Parameters	Unit	Results	*N.A.A.Q.S.	Sampling & Analysis Methods
PM ₁₀	µg/m³	58.76	100.0	NAAQMS/36/2012-2013 Volume 1
PM _{2.5}	μg/m³	26.42	60.0	NAAQMS/36/2012-2013 Volume 1
SO ₂	μg/m³	28.39	80.0	IS 5182 (Part II) 2012
NO ₂	μg/m³	33.42	80.0	IS 5182 (Part VI) 2012
СО	mg/m³	1.18	2.0 for 8 Hrs.	IS 5182 (Part X) 1999
Lead	µg/m³	0.12	1.0	NAAQMS/36/2012-2013 Volume 1
Ozone	µg/m³	3.33	100.0 for 8 Hrs.	APHA Method 411 3 rd Edition
Ammonia	μg/m³	4.33	400.0	APHA Method 401 3 rd Edition
Benzene	μg/m³	< 1.0	5.0	IS 5182 (Part 11) 2006
Benzo Pyrene	ng/m³	< 0.1	1.0	IS 5182 (Part 12):2004
Arsenic	ng/m³	< 0.4	6.0	NAAQMS/36/2012-2013 Volume 1
Nickel	ng/m³	6.21	20.0	NAAQMS/36/2012-2013 Volume 1

*N.A.A.Q.S. - National Ambient Air Quality Standards

- 1	_	۷	14	

For GADARK LAB PVT. LTD.

or voiler

AUTHORISED SIGNATORY [KAILAS V. CHITALKAR]

Note:

- 1. The results relate only to the samples tested.
- 2. Test certificate shall not be reproduced except in full, without written approval of the laboratory.
- 3. Samples will be preserved for a period 15 days from the delivery of Test Certificate.
- 4. Test Results relate only to the conditions prevailing at the time of sampling.
- 5. Customer complaint register is available at laboratory.

CHECKED BY



INDUSTRIAL ANALYSTS & CONSULTANTS

LAB.: H-54, Additional M.I.D.C. Kudal, Taluka - Kudal, District - Sindhudurg - 416 525. Tel.: (02362) 223519 • E-mail: info@gadark.in • Website: www.gadark.in

OFF.: 15, Hindustan Kohinoor Industrial Complex, L.B.S. Marg, Vikhroli (West), Mumbai - 83. Tel.: (022) 2577 7069 / 2577 7070 / 2085 0091 • +91 93213 12367

TEST CERTIFICATE

Doc.No: GLPL/QF/7.8/01

Test Certificate No.	GS/21/0058	T.C. Date:	15/04/2021
Customer Name and Address	M/s. SMARTCHEM TEC PLOT NO 1, JNPT, NH/ TAL-URAN, DIST. – RA	AVA SHEVA,	C DE
Letter Ref/Date		1235	22
Lab Reference No.	GS/21/0058	Page No.	1 of 1
Sampling Done By	GLPL On 09/04/2021	Sample Received on	10/04/2021
Sample Collected by	GLPL	Analysis Period	10/04/2021 To 15/04/2021
Sample Description	NH3 Tank Soil Sample,	1 Kg in plastic bag	

ANALYSIS REPORTS:

Parameters	Units	Test Results
pH (1:5 Suspension)		6.91
Available Nitrogen	Kg/Hect	282.24
Available Phosphorus	Kg/Hect	15
Available Potassium	Kg/Hect	42
Moisture	%	24.19
Density	gm/ml	0.97
Chlorides	%	0.025
Sulphates	%	0.014
Phosphates	%	0.00030
Organic Matter	%	1.77
Water Holding Capacity	%	50.1
Sodium Absorption Ration (SAR)		9.2
Toxicity Characteristics Leaching I	Procedure (TCLP)	
Mercury	ppm	< 0.001
Lead	ppm	0.074
Arsenic	ppm	< 0.001
Cadmium	ppm	0.028
Chromium	ppm	< 0.001
Soil Toxicity Organics		
Methyl Ethyl Ketone	ppm	< 0.001
Tetrachloroethylene	ppm	< 0.001
Lindane,	ppm	< 0.001
Chlorobenzene	ppm	< 0.001

For GADARK LAB PVT. LTD.

AUTHORISED SIGNATORY [SACHIN B. GAONKAR]

Beavular

CHECKED BY

Note

- 1. Results relate only to the sample/s tested, only in case of samples submitted by customer & not drawn by GLPL.
- 2. Test certificate shall not be reproduced except in full, without written approval of the laboratory.
- 3. Samples will be preserved for a period 15 days from the delivery of Test Certificate.
- 4. Customer Complaint register is available at laboratory.



INDUSTRIAL ANALYSTS & CONSULTANTS

LAB.: H-54, Additional M.I.D.C. Kudal, Taluka - Kudal, District - Sindhudurg - 416 525. Tel.: (02362) 223519 • E-mail: info@gadark.in • Website: www.gadark.in

OFF.: 15, Hindustan Kohinoor Industrial Complex, L.B.S. Marg, Vikhroli (West), Mumbai - 83. Tel.: (022) 2577 7069 / 2577 7070 / 2085 0091 • +91 93213 12367

TEST CERTIFICATE

Doc.No: GLPL/QF/7.8/01

Test Certificate No.	GS/21/0089	T.C. Date:	13/07/2021
Customer Name and Address	M/s. SMARTCHEM TEC PLOT NO 1, JNPT, NH/ TAL-URAN, DIST. – RA	AVA SHEVA,	A service of the serv
Letter Ref/Date			
Lab Reference No.	GS/21/0089	Page No.	1 of 1
Sampling Done By	GLPL On 08/07/2021	Sample Received on	09/07/2021
Sample Collected by	GLPL	Analysis Period	09/07/2021 To 13/07/2021
Sample Description	NH3 Tank Soil Sample,	1 Kg in plastic bag	

ANALYSIS REPORTS:

Parameters	Units	Test Results
pH (1:5 Suspension)		7.23
Available Nitrogen	Kg/Hect	203.84
Available Phosphorus	Kg/Hect	9
Available Potassium	Kg/Hect	46
Moisture	%	26.85
Density	gm/ml	0.93
Chlorides	%	0.040
Sulphates	%	0.014
Phosphates	%	0.00024
Organic Matter	%	2.38
Water Holding Capacity	%	56
Sodium Absorption Ration (SAR)	143 5 / 20	10.2
Toxicity Characteristics Leaching	Procedure (TCLP)	
Mercury	ppm	< 0.001
Lead	ppm	0.054
Arsenic	ppm	< 0.001
Cadmium	ppm	0.046
Chromium	ppm	< 0.001
Soil Toxicity Organics		
Methyl Ethyl Ketone	ppm	< 0.001
Tetrachloroethylene	ppm	< 0.001
Lindane,	ppm	< 0.001
Chlorobenzene	ppm	< 0.001
Chioropenzene	ppm End	< 0.001

For GADARK LAB PVT. LTD.

AUTHORISED SIGNATORY [SACHIN B. GAONKAR]

Swouler

Note:

- 1. Results relate only to the sample/s tested, only in case of samples submitted by customer & not drawn by GLPL.
- 2. Test certificate shall not be reproduced except in full, without written approval of the laboratory.
- 3. Samples will be preserved for a period 15 days from the delivery of Test Certificate.
- 4. Customer Complaint register is available at laboratory.

CHECKED BY



INDUSTRIAL ANALYSTS & CONSULTANTS

LAB.: H-54, Additional M.I.D.C. Kudal, Taluka - Kudal, District - Sindhudurg - 416 525. Tel.: (02362) 223519 • E-mail: info@gadark.in • Website: www.gadark.in

OFF.: 15, Hindustan Kohinoor Industrial Complex, L.B.S. Marg, Vikhroli (West), Mumbai - 83. Tel.: (022) 2577 7069 / 2577 7070 / 2085 0091 • +91 93213 12367

TEST CERTIFICATE

Doc. No: GLPL/QF/7.8/01

Test Certificate No.	GW/O/21/1053	T.C. Date:	15/04/2021
Customer Name and Address	M/s. SMARTCHEM TE PLOT NO 1, JNPT, NI TAL-URAN, DIST. – R		
Letter Ref/Date	- 47.77		
Lab Reference No.	GW/O/21/1053	Page No.	1 of 2
Sampling Done By	GLPL On 09/04/2021	Sample Received on	10/04/2021
Sample Collected by	GLPL	Analysis Period	10/04/2021 To 15/04/2021
Sample Description	Ground Water Sample	, 1 lit in plastic bottle & 1	00 ml in glass bottle

ANALYSIS REPORTS:

Parameters	Units	Test Result	A STATE OF THE STA	on Range as per 500 / 2012	Methods
			Requirement Acceptable Limit	Permissible Limit in the Absence of Alternate Source	
Color (Pt. Scale)	Colour Unit	< 1.0	5.0 Max.	15.0 Max.	APHA 2120 B
Odor	< 1	Agreeable	Agreeable	Agreeable	APHA 2150 B
Taste	< <u></u>	Agreeable	Agreeable	Agreeable	APHA 2160 A
pH	25 17	6.91	6.5 - 8.5	No Relaxation	APHA 4500 H ⁺
Turbidity	NTU	0.3	1.0 Max.	5.0 Max.	APHA 2130 B
Total Hardness as CaCO ₃	mg/ltr	108	200.0 Max.	600.0 Max.	APHA 2340 C
Free Residual Chlorine	mg/ltr	Nil	0.2 Min.	1.0 Max.	APHA 4500 CI B
Total Dissolved Solids at 180°C	mg/ltr	376	500.0 Max.	2000.0 Max.	APHA 2540 C
Calcium	mg/ltr	21	75.0 Max.	200.0 Max.	APHA 3500 Ca B
Chlorides	mg/ltr	35	250.0 Max.	1000.0 Max.	APHA 4500 CI ⁻ B
Sulphate	mg/ltr	15	200.0 Max.	400.0 Max.	APHA 4500 SO ₄ ² - E
Nitrate	mg/ltr	0.52	45.0 Max.	No Relaxation	APHA 4500 NO ₃ B
Fluoride	mg/ltr	0.054	1.0 Max.	1.5 Max.	APHA 4500 F-
Phenolic Compounds	mg/ltr	< 0.001	0.001 Max.	0.002 Max.	IS 3025
Cyanide	mg/ltr	< 0.001	0.05 Max.	No Relaxation	APHA 4500 E
Anionic Detergents [as MBAS]	mg/ltr	< 0.001	0.2 Max.	1.0 Max.	APHA 5540
Polynuclear Aromatic Hydrocarbon	mg/ltr	< 0.0001	0.0001 Max.	No Relaxation	APHA 6440
Mineral Oil	mg/ltr	< 0.1	0.5 Max.	No Relaxation	APHA 5520 B
Total Alkalinity	mg/ltr	87	200.0 Max.	600.0 Max.	APHA 2320 B
Aluminum	mg/ltr	< 0.001	0.03 Max.	0.2 Max.	APHA 3111 B
Boron	mg/ltr	0.008	0.5 Max.	1.0 Max.	APHA 4500 B - B
Cadmium	mg/ltr	< 0.001	0.003 Max.	No Relaxation	APHA 3500 Cd
Copper	mg/ltr	0.036	0.05 Max.	1.5 Max.	APHA 3111 B
Iron	mg/ltr	0.084	1.0 Max.	No Relaxation	APHA 3111 B
Lead	mg/ltr	< 0.001	0.01 Max.	No Relaxation	APHA 3111 B
Manganese	mg/ltr	0.022	0.10 Max.	0.30 Max.	APHA 1111 B

Strike 6

Contd...2/..



INDUSTRIAL ANALYSTS & CONSULTANTS

LAB.: H-54, Additional M.I.D.C. Kudal, Taluka - Kudal, District - Sindhudurg - 416 525. Tel.: (02362) 223519 • E-mail: info@gadark.in • Website: www.gadark.in

OFF.: 15, Hindustan Kohinoor Industrial Complex, L.B.S. Marg, Vikhroli (West), Mumbai - 83. Tel.: (022) 2577 7069 / 2577 7070 / 2085 0091 • +91 93213 12367

TEST CERTIFICATE

GADARK LAB PVT. LTD.

::: 2 :::

Mercury	mg/ltr	< 0.001	0.001 Max.	No Relaxation	APHA 3112 B
Selenium	mg/ltr	< 0.001	0.01 Max.	No Relaxation	APHA 3114 B
Total Arsenic	mg/ltr	< 0.001	0.01 Max.	0.05 Max.	APHA 3111 B & C
Total Chromium	mg/ltr	< 0.001	Not Specified	Not Specified	APHA 3500 Cr B
Zinc	mg/ltr	0.082	5.0 Max.	15.0 Max.	APHA 3111 B

End

For GADARK LAB PVT. LTD.

AUTHORISED SIGNATORY [SANTOSH V. ZULPE]

Note:

1. Results relate only to the sample/s tested, only in case of samples submitted by customer & not drawn by GLPL.

2. Test certificate shall not be reproduced except in full, without written approval of the laboratory.

3. Samples will be preserved for a period 15 days from the delivery of Test Certificate.

4. Customer complaint register is available at laboratory.



INDUSTRIAL ANALYSTS & CONSULTANTS

LAB.: H-54, Additional M.I.D.C. Kudal, Taluka - Kudal, District - Sindhudurg - 416 525. Tel.: (02362) 223519 • E-mail: info@gadark.in • Website: www.gadark.in

OFF.: 15, Hindustan Kohinoor Industrial Complex, L.B.S. Marg, Vikhroli (West), Mumbai - 83. Tel.: (022) 2577 7069 / 2577 7070 / 2085 0091 • +91 93213 12367

TEST CERTIFICATE

Doc. No: GLPL/QF/7.8/01

Test Certificate No.	GW/O/21/1797	T.C. Date:	13/07/2021
Customer Name and Address	M/s. SMARTCHEM TE PLOT NO 1, JNPT, NI TAL-URAN, DIST. – R		D
Letter Ref/Date			
Lab Reference No.	GW/O/21/1797	Page No.	1 of 2
Sampling Done By	GLPL On 08/07/2021	Sample Received on	09/07/2021
Sample Collected by	GLPL	Analysis Period	09/07/2021 To 13/07/2021
Sample Description	Ground Water Sample	, 1 lit in plastic bottle & 1	00 ml in glass bottle

ANALYSIS REPORTS:

Parameters	Units	Test Result		on Range as per 500 / 2012	Methods
			Requirement Acceptable Limit	Permissible Limit in the Absence of Alternate Source	
Color (Pt. Scale)	Colour Unit	< 1.0	5.0 Max.	15.0 Max.	APHA 2120 B
Odor		Agreeable	Agreeable	Agreeable	APHA 2150 B
Taste		Agreeable	Agreeable	Agreeable	APHA 2160 A
рН		7.11	6.5 - 8.5	No Relaxation	APHA 4500 H⁺
Turbidity	NTU	0.4	1.0 Max.	5.0 Max.	APHA 2130 B
Total Hardness as CaCO ₃	mg/ltr	104	200.0 Max.	600.0 Max.	APHA 2340 C
Free Residual Chlorine	mg/ltr	Nil	0.2 Min.	1.0 Max.	APHA 4500 CI B
Total Dissolved Solids at 180°C	mg/ltr	188	500.0 Max.	2000.0 Max.	APHA 2540 C
Calcium	mg/ltr	28.8	75.0 Max.	200.0 Max.	APHA 3500 Ca B
Chlorides	mg/ltr	26.45	250.0 Max.	1000.0 Max.	APHA 4500 CI ⁻ B
Sulphate	mg/ltr	3.25	200.0 Max.	400.0 Max.	APHA 4500 SO ₄ ² -E
Nitrate	mg/ltr	0.64	45.0 Max.	No Relaxation	APHA 4500 NO₃ B
Fluoride	mg/ltr	0.054	1.0 Max.	1.5 Max.	APHA 4500 F-
Phenolic Compounds	mg/ltr	< 0.001	0.001 Max.	0.002 Max.	IS 3025
Cyanide	mg/ltr	< 0.001	0.05 Max.	No Relaxation	APHA 4500 E
Anionic Detergents [as MBAS]	mg/ltr	< 0.001	0.2 Max.	1.0 Max.	APHA 5540
Polynuclear Aromatic Hydrocarbon	mg/ltr	< 0.0001	0.0001 Max.	No Relaxation	APHA 6440
Mineral Oil	mg/ltr	< 0.1	0.5 Max.	No Relaxation	APHA 5520 B
Total Alkalinity	mg/ltr	92	200.0 Max.	600.0 Max.	APHA 2320 B
Aluminum	mg/ltr	< 0.001	0.03 Max.	0.2 Max.	APHA 3111 B
Boron	mg/ltr	0.006	0.5 Max.	1.0 Max.	APHA 4500 B - B
Cadmium	mg/ltr	< 0.001	0.003 Max.	No Relaxation	APHA 3111 B
Copper	mg/ltr	0.045	0.05 Max.	1.5 Max.	APHA 3111 B
Iron	mg/ltr	0.079	1.0 Max.	No Relaxation	APHA 3111 B
Lead	mg/ltr	< 0.001	0.01 Max.	No Relaxation	APHA 3111 B
Manganese	mg/ltr	0.036	0.10 Max.	0.30 Max.	APHA 1111 B

Stman!

Contd...2/..



INDUSTRIAL ANALYSTS & CONSULTANTS

LAB.: H-54, Additional M.I.D.C. Kudal, Taluka - Kudal, District - Sindhudurg - 416 525. Tel.: (02362) 223519 • E-mail: info@gadark.in • Website: www.gadark.in

OFF.: 15, Hindustan Kohinoor Industrial Complex, L.B.S. Marg, Vikhroli (West), Mumbai - 83. Tel.: (022) 2577 7069 / 2577 7070 / 2085 0091 • +91 93213 12367

TEST CERTIFICATE

GADARK LAB PVT. LTD.

::: 2 :::

Mercury	mg/ltr	< 0.001	0.001 Max.	No Relaxation	APHA 3112 B
Selenium	mg/ltr	< 0.001	0.01 Max.	No Relaxation	APHA 3114 B
Total Arsenic	mg/ltr	< 0.001	0.01 Max.	0.05 Max.	APHA 3111 B & C
Total Chromium	mg/ltr	< 0.001	Not Specified	Not Specified	APHA 3111 B
Zinc	mg/ltr	0.104	5.0 Max.	15.0 Max.	APHA 3111 B

End

For GADARK LAB PVT. LTD.

AUTHORISED SIGNATORY [SACHIN B. GAONKAR]

CHECKED BY

Note:

- 1. Results relate only to the sample/s tested, only in case of samples submitted by customer & not drawn by GLPL.
- 2. Test certificate shall not be reproduced except in full, without written approval of the laboratory.
- 3. Samples will be preserved for a period 15 days from the delivery of Test Certificate.
- 4. Customer complaint register is available at laboratory.

Atmirate



5ef5a18699513b24b0caec93

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437 Fax: 24023516 Website: http://mpcb.gov.in Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

Date: 26 06 2020

RED/L.S.I ()

No:- Format1.0/CAC/UAN No.0000091906/CR - 2006001159

T-

M's Deepak Fertilisers and Petrochemicals Corporation Ltd., Plot No.1, JNPT Tank Farm Area, A/p Nhava, JNPT Tank Farm, Tal. Uran, Dist. Raigad.

Sub: Grant of renewal of Consent to Operate for storage and handling of Phosphoric acid and Liquid Ammonia (atmospheric pressure).

Ref:

- Previous Consent to Operate accorded by the Board vide No. Format 1.0/BO/CACCell/ EIC No. NM-5001-14/2nd CAC-3770 dtd. 17/03/2016.
- 2. Minutes of Consent Appraisal Committee meeting held on 04/05/2020.

Your application No.MPCB-CONSENT-0000091906 Dated 19.04.2020

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the Consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The consent to renewal is granted for a period up to 30/06/2025
- The capital investment of the project is Rs.119.2659 Crs. (As per C.A Certificate submitted by industry Existing-Rs. 119.98 Crs + Expansion/Increase in C.I. - Rs. (-) 0.72 Crs)
- 3. Consent is valid for the manufacture of:

Sr No	Product	Maximum Quantity	UOM
Pro	ducts		0.0
1	Storage & handling of Liquid Ammonia (Atmospheric Pressure)	15000	МТ
2	Storage & handling of Phosphoric Acid	7000	KLtr.
3	Storage & handling of Phosphoric Acid	7000	KLtr.

Note: All Storage tanks are for captive consumption only.

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	6	As per Schedule-I	On land for gardening
2.	Domestic effluent	1.9	As per Schedule-I	Soaked in soak pit

Deepak Fertilisers and Petrochemicals Corporation Ltd,/CR/UAN No.MPCB-CONSENT-0000093906

Page 1 of 9



5ef5a18699513b24b0caec93

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	S-1 & S-2	DG Sets (500 & 625 KVA)	2	As per Schedule -II

6. Non-Hazardous Wastes:

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	NA	0	NA	NA	NA

 Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	1	MT/A	Recycle	Sale to Auth. Party/ Recycler through Sister concern unit at Plot No. K-8, MIDC Taloja
2	5.2 Used Oil Filters	35	Nos./Y	Incineration/ Secured Landfill	CHWTSDF through Sister concern unit at Plot No. K-8, MIDC Taloja

- 8 The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
- 9 This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
- 10 Industry shall comply with the provisions of the Manufacture, Storage and Import of Hazardous Chemical Rules, 1989.
- 11 Industry shall extend existing Bank Guarantee towards compliance of Consent conditions.

For and on behalf of the Maharashtra Polletion Control Board.

> (E. Ravendiran IAS), Member Secretary

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	1027523.00	MPCB-DR-0198	02/05/2020	RTGS

Balance amount of Rs. 1,65,136/- of previous Consent to Operate accorded by the Board vide No. Format 1.0/BO/CACCell/ EIC No. NM-5001-14/2nd CAC-3770 dtd. 17/03/2016 is taken into account for renewal of Consent.

Copy to

- Regional Officer, MPCB, Navi Mumbai and Sub-Regional Officer, MPCB, Taloja
- They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Sion, Mumbai
- 3. CC-CAC Desk- for record & website updating purpose.

Deepak Pertiliners and Petrochemicals Corporation Ltd,/CR/VAN No.MPCB-CONSENT-0000091906

Page 2 of 9



5ef5a18699513b24b0caec93

SCHEDULE-I Terms & conditions for compliance of Water Pollution Control:

- A) As per your application, you have provided primary treatment comprising of collection tank for treatment of 6 CMD cooling tower blow down.
 - B) The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Limiting concentration not to exceed in mg/l except for pH
	C	ompulsory parameters
(1)	pH	6.0 to 8.5
(2)	Oil & Grease	10 mg/l
(3)	BOD (3 days 27°C)	100 mg/l
(4)	Total Suspended solids	100 mg/l
(5)	Total Dissolved solids	2100 mg/l
		Additional Parameters
(6)	Temperature	Shall not increase 5 degree Centigrade above the ambient temperature of the receiving body
(7)	Bio-Assay Test	90% survival of fish afterfirst 96 hours in 100% effluent
(8)	Free Ammonia	on the self area 5 mg/l
(9)	TAN	TO mg/l

- C) The cooling tower blow down shall be applied on land for gardening within premise. In no case, cooling tower blow down shall find its way outside factory premises.
- Al As per your application, you have provided Septic Tank followed by Soak pit for the treatment of 1.9 CMD of sewage.
 - B) The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

1	BOD	Not to exceed	30 mg/l
2	SS	Not to exceed	100 mg/l

- C) The treated sewage shall be soaked in Soak Pit and overflow, if any, shall be applied on land for gardening within premise.
- 3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
- The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

Deepak Fertilisers and Petrochemical Cosperation Ltd,/CR/UAN No. HPCB-CONSENT-0000091906

Page 3 of 9



5ef5a18699513b24b0caec93

The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	95.00
2.	Domestic purpose	2.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	3.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

 The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.



Deepak Pertilisers and Petrochemicals Corporation Ltd., CR/UAN No. MPCS-CONSENT-0000091906

Page 4 of 9



5ef5a18699513b24b0caec93

SCHEDULE-II Terms & conditions for compliance of Air Pollution Control:

 As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	5%	50; (kg/day)
S-1	DG Set (625 KVA)	Acoustic Enclosure	6	HSD	130 Ltr/Hr	1.00	55.00
5-2	DG Set (500 KVA)	Acoustic Enclosure	6	HSD	130 Ltr/Hr	1.00	55.00

 The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Parameters	Standards		
Total Particulate Matter	Not to exceed	150 mg/Nm3	

The Applicant shall obtain necessary prior permission for providing additional control
equipment with necessary specifications and operation thereof or alteration or
replacement/alteration well before its_life_come to an end or erection of new pollution
control equipment.

The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

Vapour trap should be provided to storage tanks.




Deepek Fertilisers and Petrochemicals Corporation Ltd./CR/UAN No.HPCB-CONSENT-0000091906

Page 5 of 9



5ef5a18699513b24b0caec93





5ef5a18699513b24b0caec93

SCHEDULE-IV General Conditions:

- The Energy source for lighting purpose shall preferably be LED based
- The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
- 3. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
- The applicant shall maintain good housekeeping.
- The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed
 of scientifically so as not to cause any nuisance / pollution. The applicant shall take
 necessary permissions from civic authorities for disposal of solid waste.
- The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- The industry shall submit quarterly statement in respect of industries obligation towards consent and poliution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
- The industry shall submit official e-mail address and any change will be duly informed to the MPCR.
- The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. 8-29016/20/90/PCI-L dated. 18.11.2009 as amended.
- 11. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.

Deepak Pertiliners and Petrochemicals Corporation Ltd./CR/UAN No.MPCB-CDHSEHT-0000091908

Page 7 of 9



5ef5a18699513b24b0caec93

- The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 13. The PP shall provide personal protection equipment as per norms of Factory Act
- Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 15. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 16. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 17. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
- 20. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- The industry should not cause any nuisance in surrounding area.
- 23. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 24. The industry shall create the Environmental Cell by appointing an Environmental Engineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and Irrigation field where treated effluent is used for irrigation.
- 25. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

Despok Fortilisers and Petrochemicals Corporation Ltd./CR/UAN He.MPCS-CONSENT-GOOD91906

Page 8 of 9



Maharashtra Pollution Control Board 5ef5a18699513b24b0caec93

- The industry should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
- The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 28. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 29. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
- 30. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
- The Applicant shall obtain necessary prior permission for providing additional control
 equipment with necessary specifications and operation thereof or alteration or
 replacement/alteration well before its life come to an end or erection of new pollution
 control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to
 any technological improvement or otherwise such variation (including the change of
 any control equipment, other in whole or in part is necessary).
- 33. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, or emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.



Deepak Fertifisers and Petrochemicals Corporation Ltd,/CR/UAN No.MPCS-CONSENT-0000091906

Page 8 of 9

MAHARASHTRA POLLUTION CONTROL BOARD

4010437/4020781/ Phone : 4037124/4035273

24044532/4024068 /4023516 Fax

cac-cell@mpcb.gov.in : Email http://mpcb.gov.in Visit At :



Kalpataru Point, 3rd & 4th floor, Sion-Matunga Scheme Road No. 8, Opp. Cine Planet Cinema,

Near Sion Circle, Sion (E), Mumbai - 400 022

No. MPCB/UAN No. 0000026215/CAC-Cell/Amend- 2107000827 Date: 15/01/2021

To. M/s Smartchem Technologies Limited, Plot No.1, JNPT Tank Farm Area, At P.O. Nhava, Tal. Uran, Dist. Raigad.

> Grant of Amendment in Consent to Operate. Subject:-

Ref .:-

- 1. Existing Consent to Operate No. Format 1.0/CAC/UAN No. 0000091906/CR-2006001159 dtd. 26.06.2020 valid up to 30.06.2025 granted in the name of M/s Deepak Fertilizers & Petrochemicals Corporation Limited.
- 2. Application UAN No. 0000026215 dtd. 04.05,2017.
- 3. Minutes of Consent Appraisal Committee meeting held on 21.05.2021 & 02.06.2021.

The Consent to Operate granted under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974, under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and an Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 to M/s Deepak Fertilizers & Petrochemicals Corporation Limited, Plot No.1, JNPT Tank Farm Area, At P.O. Nhava, Tal. Uran, Dist. Raigad is hereby amended as below:

1. The name of the industry shall be read as M/s Smartchem Technologies Limited in place of M/s Deepak Fertilizers & Petrochemicals Corporation Limited.

All other conditions of the consent referred at Sr. No 1 shall remain unchanged.

This amendment is valid only along with the consent referred at 1 above.

For and on behalf of the Maharashtra Pollution Control Board

> (Ashok Shingare, IAS) **Member Secretary**

Received Consent fee of -

	Amount (Rs.)	Transaction/ DR.No.	Date	Transaction Type
1	241980.00		08-05-2017	Online

Copy to:

- 1. Regional Officer (Navi Mumbai)/ Sub-Regional Officer (Taloja), M.P.C. Board.
- 2. Chief Accounts officer, M.P.C. Board, Mumbai.
- 3. CAC Cell, M.P.C. Board, Mumbai.