

**Form - IV**

(See rule 13)

Bio Medical Waste Annual Return for the Calender Year - 2022

<b>Application Type:</b> Industry	<b>Calender Year</b> 2022	Submit To SRO-Raigad I
<b>1) Particulars</b>		
<b>i) First Name</b> Rajendra	<b>ii) Middle Name</b> Baburao	<b>iii) Last Name</b> Thorat
<b>iv) Designation</b> Vice President	<b>v) Aadhaar No</b> 000000000000	<b>vi) PAN No</b> 0000000000
<b>vii) Address as per Aadhaar Card</b> NA	<b>viii) Tel. No.</b> 9822618850	<b>ix) Fax No.</b>
<b>x) e-mail</b> rajendra.thorat@dfpcl.com	<b>xi) URL of website</b> www.smartchem.co.in	
<b>2) Details of the Industry</b>		
<b>i) Name of the Industry</b> Smartchem Technologies Limited	<b>ii) Email</b> rajendra.thorat@dfpcl.com	<b>iii) Name of the contact person</b> Rajendra Baburao Thorat
<b>iv) Contact No.</b> 9822618850		
<b>3) Address of the Industry</b>		
<b>i) Building Name/Building No./Survey Number</b> Plot No. K-8	<b>ii) Street / Village</b> Plot No. K-8, MIDC, Taloja.	<b>iii) City / Taluka</b> Taloja
<b>iv) District</b> Raigad	<b>v) Pin-Code Number</b> 410208	<b>vi) Near by Landmark</b>
<b>vii) Latitude coordinate</b> 19.42	<b>viii) Longitude coordinate</b> 73.84	<b>ix) Ownership</b> Private
<b>Details of valid Combined Consent and BMW Authorization (CCA)</b>		
<b>i) Authorization No.</b> Format 1.o/CAC/UAN No.0000107922/CO-2108001158 dated 20.08.2021	<b>ii) Authorization validity Date</b> Mar 31 2026 12:00:00:AM	
<b>5) Status of Consents under Water Act and Air Act</b>		
<b>i) Consent Number</b> Format 1.o/CAC/UAN No.0000107922/CO-2108001158 dated 20.08.2021	<b>ii) Consent validity Date</b> Mar 31 2026 12:00:00:AM	
<b>6) Total No of Beds (As per valid Authorization)</b>		
<b>7) Registration Number (e.g. Bombay Nursing Home reg. no.,MSDC,MBTC)</b>		NA
<b>8) Registration Expiry Date</b>		Mar 31 2026 12:00:00:AM
<b>9) Faculty of Medicine</b> Medical		
<b>10) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of</b> M/s.Mumbai Waste Management Ltd., Taloja		
<b>11) Details of BMW</b>		
<b>i) Authorized BMW Quantity Kg/month (as per valid CCA)</b>		
<b>Yellow</b> 20.00000	<b>Red</b> 5.00000	<b>Blue</b> 20.00000
		<b>White</b> 5.00000

**ii) Bio Medical Waste Generated (Kg/month)****Yellow** 2.62500**Red** 0.04800**Blue** 0.00100**White** 0.02100**iii) Quantity of Biomedical waste given to CBMWTDF (kg/Month)****Yellow** 2.6250**Red** 0.0480**Blue** 0.0010**White** 0.0210**General Solid Waste****12) Details trainings conducted on BMW****i) Number of trainings conducted on BMW Management.**

7

**ii) Number of personnel trained**

15

**iii) Number of personnel trained at the time of induction**

8

**iv) number of personnel not undergone any training so far****v) whether standard manual for training is available?**

No

**vi) any other information**

Copy of BMW Rules 2016 is used for training

**13) Details of the accident occurred during the year****i) Number of Accidents occurred****ii) Number of the persons affected****iii) Remedial Action taken (Please attach details if any)**

No

**iv) Any Fatality occurred, If yes details.**

No

**14) Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?**

No

**15) Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?**

No

**17) Whether HCE intended to Sale / Handover liquid BMW for R&D purpose**

No

Place	Designation	Date
Taloja	Vice President	15-06-2023